

**(Clophelin-Darnitsa)**

1

: lonidine;

( ) 150 (0,15 );

02 01.

(TC<sub>max</sub>)

- 1,5-2,5

65 %.

- 20-40 %.

(T<sub>1/2</sub>) - 12-16

50 %

(40-60 %)

(20 %).

- 41-



, )

18-72

1-2

Lapp

75-150 (1/2-1 )2-3 75 -

300

150-300 (1-2 )

( ' )

300-750 , 4-6

QRS,

V-

)

(

, « » -



1 :  
: lonidine;  
( ) 150 (0,15 );

02 01.

(TC<sub>max</sub>) - 1,5-2,5 - 65 % - 20-40 %.  
(40-60 %) (20 %). (T<sub>1/2</sub>) - 12-16 ( 50 % - 41- ).

( ) ,

( . . . ) ,

( . . . ) ,

( . . . ) ,

2-

(  
b-

( . . . )

b-

) ,

(

1-2

18-72

Handwritten text consisting of approximately 10 lines of cursive script, which is mostly illegible due to fading and bleed-through from the reverse side of the page.

Lapp



75-150 (1/2-1 ) 2-3

75 -

300

150-300 (1-2 )

(

).

300-750

4-6

QRS,

AV-

( . . . ),

AV-

, AV-

(

).

