

(TYROSUR®)

1 : 1 ; 96 % ,

D06 08.

70–80 %

(

)

Bacillus brevis.

20–30 %

() .

Staph. aureus MSSA, *Staph. aureus* MRSA, *Staph. Haemolyticus*, *Strep. Pyogenes*, *Strep. Viridans*, *Enterococcus faecalis*, *Diplococcus pneumoniae*, *Corynebact. spp*, *Neisseria meningitides*, *Neisseria gonorrhoeae*, *Candida.*

Clostridia.

2-3

1-2

3

-3

25 °C

5

25

; 1

Engelhard Arzneimittel GmbH & Co. KG.

3, 61138
Herzbergstrasse 3, 61138 Niederdorfelden, Germany.

(TYROSUR®)

1 : 1 ; 96 %, ,

D06 08.

brevis. 70–80 % (*Bacillus*)
20–30 % ().
Staph. aureus MSSA, *Staph. aureus* MRSA,
Staph. Haemolyticus, *Strep. Pyogenes*, *Strep. Viridans*, *Enterococcus faecalis*, *Diplococcus pneumoniae*,
Corynebact. spp., *Neisseria meningitides*, *Neisseria gonorrhoeae*,
Candida.
Clostridia.

()

2-3

1-2

3

25 °

5 25 ; 1

& /

Engelhard Arzneimittel GmbH & Co. KG.

3, 61138

Herzbergstrasse 3, 61138 Niederdorfelden, Germany.